MATERIAL SAFETY DATA SHEET

N/A = Not Applicable

2-Butoxyethanol *

Sodium Orthosilicate

(Prepared According To 29 CFR 1910.1200)

SECTION 1 - PRODUCT IDENTIFICATION

Effective Date: 11/09

No

No

N/A

Product Name: North Wood		Chemical Family: N/A		NPCA Hazardous Materials Identification System			
Generic Name: Heavy Duty			Formula: N/A		Health		2
Suppliers Name: SUPERIO Suppliers Address: 1331 W	Flammability Reactivity Maximum Personal Protection		0				
Phone: 800-242-7694							
EMERGENCY PHONE: 80			В				
	SECTION	2 - HAZAR	DOUS IN	GREDIENTS			
CHEMICAL NAME	CAS NO.	WT. %	PEL	TWA-TLV	STEL-TLV	CARCINOC	GEN
Potassium Hydroxide	1310-58-3	0 to 5	N/A	N/A	C2ma/m3	No	

50ppm

25ppm

*Subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 & 40 CFR372.

9.15

5 to 10

111-76-2

13472-30-5

SECTION 3 - PHYSICAL DATA	SECTION 4 - FIRE & EXPLOSION HAZARD DATA			
Boiling Range (°F): 215°F Initial Vapor Pressure: 20 mm Hg@68°FSpecific Gravity: 1.08 Vapor Density: >1 pH: 12.5 - 13.5 Evaporation Rate: <1	Flash Point (method used): None to boiling (TCC)Upper Explosive Limit: N/ALower Explosive Limit: N/AExtinguishing Media: N/ASpecial Fire Fighting Procedures: N/AUnusual Fire & Explosion Hazards: N/A			
SECTION 5 - REACTIVITY DATA	SECTION 6 - STORAGE & HANDLING INFO			
Stability: StableHazardous Polymerization: Will not occur.Incompatibility (materials to avoid): Strong acids.Hazardous Decomposition Products: Alkaline vapors in a fire.	Precautions To Be Taken In Handling & Storage: Keep out of reach of children. For use by trained personnel only. Keep container closed during storage. For institutional and industrial use only.			
SECTION 7 - HEALTH H	AZARDS AND FIRST AID			
Effects of Overexposure Primary Route of Entry: Skin: Severe irritant. May cause moderate reddening, swelling and possible skin damage. Eyes: Severe irritant. Liquid and mists may damage the eyes, causing	First Aid Procedures: Skin: Flush with large quantities of water. Seek medical attention if irritation persists. Eyes: Flush with large quantities of water. Seek medical attention if			
corneal injury. Inhalation: Vapors may be irritating to mucous membranes in nose, throat and lungs.	irritation persists. Inhalation:Get to fresh air. Seek medical attention if irritation persists.			
Ingestion: Irritating or possibly corrosive to mouth, throat, and gastrointestinal system. May cause headache, dizziness, nausea, vomiting, and diarrhea.	Ingestion: DO NOT INDUCE vomiting. Drink a large quantity of water. Seek medical attention immediately.			
SECTION 8 - SPECIAL PRO	TECTION INFORMATION			
Respiratory Protection: Use in well ventilated area. Protective Gloves: Waterproof.	Ventilation: General ventilation should be sufficient for most conditions. Local exhaust ventilation may be necessary for some operations.			
Other Protective Equipment: Waterproof boots.	Eyes: Chemical anti-splash goggles.			

SECTION 9 - SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: Mop up or otherwise absorb and hold for disposal. Waste disposal method:

Any method in accordance with applicable laws.

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All material may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. **FOR FURTHER INFORMATION OR TO DOWNLOAD ADDITIONAL MSDS GO TO www.northwoodstm.com

** The health hazards given on this Material Safety Data Sheet apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of overexposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product underconditions or ordinary use.