



Environmental Health & Sanitation Chemicals

Technical Data



DRY BLAST



INSECTICIDE

DESCRIPTION

- Dry fog ULV Pyrethrin Insecticide.
- Non-Toxic
- Immediate knock down
- Safe in food areas
- USDA authorized F-1
- EPA registered
- Cherry fragrance
- Patented valve system goes three times further.
- Does not leave film on glass or mirrored surfaces.
- Kills crawling & flying insects.

SPECIFICATIONS

Appearance Light Amber
 Fragrance Cherry Blossom
 Shelf life 2 year minimum
 Net weight 11 oz.

USES / BENEFITS

Use in schools, hospitals, institutions, hotels, dairies, supermarkets, restaurants, drive-ins, motels, drugstores, food plants, homes, apartments, theatres, trucks, and office buildings.

PRECAUTIONS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Vacate premises after treatment and ventilate before reoccupying. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in food processing plants, wash with potable water all equipment, benches, shelving, etc. where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse. Remove pets and birds and cover fish aquariums before spraying.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE. Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

Flies, Mosquitoes, Gnats, Midges, Wasps, Hornets and Flying Moths (Millers): Close all doors and windows and spray room at a range of 1 second per 1000 cubic feet. Direct spray to all parts of room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as necessary.

**EXCELLENCE
 SINCE
 1964**

"Exclusive Distributors Of  **North Woods** Chemicals"

800.242.7694 • www.northwoodstm.com

