MATERIAL SAFETY DATA SHEET

N/A = Not Applicable

SECTION 1 - PRODUCT IDENTIFICATION

Product Name: North Woods® Slick Chemical Family: N/A Generic Name: Silicone spray lubricant. Formula: N/A

Suppliers Name: SUPERIOR CHEMICAL CORP.

Suppliers Address: 1331 Wisconsin Avenue, Sheboygan, WI 53081

Phone: 800-242-7694

EMERGENCY PHONE: 800-535-5053

NPCA Hazardous Materials Identification System

Effective Date: 12/09

| Health | 1 | | | | |
|-----------------------------|---|---|--|--|--|
| Flammability | 3 | | | | |
| Reactivity | 0 | | | | |
| Maximum Personal Protection | В | l | | | |

| CHEMICAL NAME | CAS NO. | WT. % | PEL | TWA-TLV | STEL-TLV | CARCINOGEN |
|---------------------------|------------|--------------|---------|---------|----------|------------|
| Isoparaffinic Hydrocarbon | 64741-66-8 | 40 - 60 | 400ppm | 400ppm | | No |
| Polydimethylsiloxane | 63148-62-9 | 1 - 5 | N.E. | N.E. | | No |
| Liquified Petroleum Gas | 68476-86-7 | 40 - 60 | 1000ppm | 1000ppm | | No |

N.E. = Not established.

| SECTION 3 - PH | I I SICAL DATA | SECTION 4 - | · FIRE 8 | E EXPLUSIO | N HAZAKD | DAIA |
|---------------------------|-------------------------------|------------------|------------|--------------------|-----------|------|
| ango (° F). 140°F | Specific Crossity: 0.726@75°E | Flach Point (mot | thad used) |) 25 5°F (Concentr | ate only) | |

Boiling Range (°F): ~ 140°F Vapor Pressure: 45 (psig @70°F) % **Volatile:** ~95%

Solubility in Water: Negligible

CECTION

Vapor Density: >1 **pH**: N/A

Evaporation Rate: >1 Physical Description: Clear water - white liquid with characteristic odor. VOC's: 5.04 lbs/gal.

Upper Explosive Limit: N/E Lower Explosive Limit: N/E Extinguishing Media: Foam, dry chemical, carbon dioxide.

Special Fire Fighting Procedures: Self contained breathing apparatus. Unusual Fire & Explosion Hazards: Exposure to temperatures above 120°F may cause bursting.

SECTION 5 - REACTIVITY DATA

DITTOTO AT DATE

Stability: Stable Hazardous Polymerization: Will not occur. Incompatibility (materials to avoid): Strong oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide.

SECTION 6 - STORAGE & HANDLING INFO

Precautions To Be Taken In Handling & Storage: Keep out of reach of children. For use by trained personnel only. Keep container

closed during storage. For institutional and industrial use only. Do not store at temperatures above 120°F.

SECTION 7 - HEALTH HAZARDS AND FIRST AID

Effects of Overexposure Primary Route of Entry:

Skin: Frequent or prolonged contact may casue irritation.

Eyes: May cause slight irritation but does not injure eye tissue.

Inhalation: Irritation of nasal and respiratory passages. Abusive or excessive may cause irritation to the upper respiratory tract, dizziness, nausea, and other central nervous system effects.

Ingestion: Gastrointestinal irritation, nausea, vomiting, and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis. Minimal toxicity.

First Aid **Procedures:**

Skin: Wash with soap and water. If irritation persists, Seek medical attention.

Eyes: Hold lids open and flush with cool water for at least 15 minutes. If irritation persists, get medical attention.

Inhalation: Get to fresh air. Give oxygen if breathing is difficult. If breathing has stopped, give artificial respiration. Seek medical attention.

Ingestion: DO NOT INDUCE vomiting. Seek medical attention immediately.

SECTION 8 - SPECIAL PROTECTION INFORMATION

Respiratory Protection:

Ventilation: Provide local exhaust to keep TLV of Section 2 ingredients below acceptable limit.

Protective Gloves: Use chemical resistant if hand contact will be made.

Other Protective Equipment: N/A

Eyes: Safety glasses or chemical goggles if splach/spray back if anticipated.

SECTION 9 - SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: Mop up or otherwise absorb and hold material for disposal.

Waste disposal method:

Any method in accordance with applicable laws.

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All material may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. **FOR FURTHER INFORMATION OR TO DOWNLOAD ADDITIONAL MSDS GO TO www.northwoodstm.com

** The health hazards given on this Material Safety Data Sheet apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of overexposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product underconditions or ordinary use.